BIOVIRIDIAN · CERTIFICATE OF ANALYSIS · COA10771 · AUTHENTIC · BIOVIRIDIAN · CERTIFICATE OF ANALYSIS · COA10771 · AUTHENTIC · BIOVIRIDIAN · CERTIFICATE OF ANALYSIS · COA10771 · AUTHENTIC · BIOVIRIDIAN · CERTIFICATE OF ANALYSIS · COA10771 · AUTHENTIC · BIOVIRIDIAN · CERTIFICATE OF ANALYSIS · COA10771 · AUTHENTIC · BIOVIRIDIAN · CERTIFICA

BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA10771**

SAMPLE RECEIVED
October 7, 2026

COA ISSUED
October 20, 2026

SAMPLE INFORMATION

Vendor
Force Retailer, LLC

Sample Name
DSIP 10MG

Sample Type
Nasal spray

Lot Number
DSPNS10226

Molecular Weight
848.8 g/mol

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: DSIP	DSIP	LC-MS/MS	✓ Conforms
Content	10.26 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.86%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 3.568 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.

BIOVIRIDIAN · CERTIFICATE OF ANALYSIS · COA10771 · AUTHENTIC · BIOVIRIDIAN · CERTIFICATE OF ANALYSIS · COA10771 · AUTHENTIC · BIOVIRIDIAN · CERTIFICATE OF ANALYSIS · COA10771 · AUTHENTIC · BIOVIRIDIAN · CERTIFICATE OF ANALYSIS · COA10771 · AUTHENTIC · BIOVIRIDIAN · CERTIFICATE OF ANALYSIS · COA10771 · AUTHENTIC · BIOVIRIDIAN · CERTIFICA