BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA10146**

SAMPLE RECEIVED
September 25, 2026

COA ISSUED
September 30, 2026

SAMPLE INFORMATION

Vendor
Force Retailer, LLC

Sample Name
GHK-Cu 50mg

Sample Type
Oral Spray

Lot Number
GHKOS92326

Molecular Weight
403.2 g/mol

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: GHK-Cu	GHK-Cu	LC-MS/MS	✓ Conforms
Content	51.32 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.85%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 1.880 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.