BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA8597**

SAMPLE RECEIVED
August 28, 2026

COA ISSUED
September 2, 2026

SAMPLE INFORMATION

Vendor
Force Retailer, LLC

Sample Name
MOTS-c, SS-31 50mg

Sample Type
Oral spray

Lot Number
MSSOS81726

MW (g/mol)
2174.6, 639.8

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: MOTS-c, SS-31	MOTS-c, and SS-31	LC-MS/MS	✓ Conforms
Content	25.56, 26.03 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.81%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 6.551, 10.044 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.