BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA10769**

SAMPLE RECEIVED
October 7, 2026

COA ISSUED
October 20, 2026

SAMPLE INFORMATION

Vendor
Force Retailer, LLC

Sample Name
PE-22-28 10MG

Sample Type
Nasal spray

Lot Number
PE2NS91026

Molecular Weight
773.88 g/mol

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: PE-22-28	PE-22-28	LC-MS/MS	✓ Conforms
Content	11.51 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.88%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 9.797 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.